

# PERFORMANCE™ 16 HEAT PUMP

## 25HPB6



COOLING EFFICIENCY :

Up to 16 SEER

HEATING EFFICIENCY :

Up to 9.0 HSPF

COMFORT FEATURES :

Good

[EMAIL PRODUCT INFO](#)

---



# Overview

Performance series heat pumps offer that perfect balance between budget limits you may have today and your desire for long-term energy savings.

The 25HPB6 boasts cooling efficiencies of up to 16 SEER. And, like other Carrier® heat pumps, it's designed to be Hybrid Heat® system compatible to help you save on heating costs in winter too.

## Key Features

### STANDARD FEATURES

- Up to 16 SEER cooling efficiency
- Up to 9 HSPF heating efficiency
- Sound: as low as 67 decibels<sup>1</sup>
- Compressor sound blanket
- Filter drier system protection from moisture and contaminants
- WeatherArmor™ Ultra protection
- Non-ozone depleting Puron® refrigerant
- 10-year parts limited warranty<sup>2</sup>

### OPTIONAL FEATURES

- Optional labor warranty available<sup>3</sup>

<sup>1</sup> Quietest size within each model group during most common cooling operating condition.

<sup>2</sup> To the original owner, when product is used in a residence, a 10-year parts limited warranty upon timely registration of your new equipment. Warranty period is 5 years if not registered within 90 days. Jurisdictions where warranty benefits cannot be conditioned on registration will automatically receive a 10-year parts limited warranty. See warranty certificate for complete details.

<sup>3</sup> Ask your Carrier® dealer for details.

# Specifications

## EFFICIENCY

- Up to 16 SEER
- Up to 13 EER
- Up to 9 HSPF
- All sizes meet ENERGY STAR® qualifications<sup>1</sup>

## PERFORMANCE

- Good cold weather performance
- Hybrid Heat® system compatible when paired with select thermostats
- Sound: as low as 67 decibels<sup>2</sup>

## TECHNOLOGY

- Single-stage scroll compressor
- System protecting high pressure and loss of charge switches
- Sound reduction: compressor sound blanket
- Filter drier
- Recommended control: Carrier® Côr® thermostat

## CAPACITIES

- 1.5-5 ton

## REQUIREMENTS

- 208-230 V

## AESTHETICS

- Heavy-gauge, galvanized steel construction
- Baked-on, durable powder coat paint
- Steel, louvered coil guard

## COMPARE TO OTHER MODELS

<sup>1</sup> Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit [www.energystar.gov](http://www.energystar.gov).

<sup>2</sup> Quietest size within each model group during most common operating condition.

# Documents

## DISPLAY DOCUMENTS FOR:

Residential

### BROCHURE



- 
- EnergyGuide Label Consumer Flyer  
Published Date: 2/13/2019
  - Performance Series Heat Pumps Consumer Brochure  
Published Date: 9/15/2017

### OWNER'S MANUAL



- 
- Homeowner's Manual for Split System Heat Pumps Using R-410A  
Published Date: 3/4/2019
  - MANUEL D'UTILISATION THERMOPOMPE – SYSTÈME BIBLOC POUR FRIGORIGÈNE R-410A  
Published Date: 3/4/2019

### WARRANTY



- Carrier Limited Warranty for Air Conditioner & Heat Pump Condensing Units with Puron (R-410A) Refrigerant  
Published Date: 9/26/2018
- Garantie limitée applicable au groupe condenseur des climatiseurs ou des thermopompes utilisant le frigorigène PuronMD (R-410A)  
Published Date: 9/26/2018

## You Might Also Like



INFINITY<sup>®</sup> 16 HEAT PUMP  
25HNB6



PERFORMANCE<sup>™</sup> 16 HEAT PUMP  
25HCB6

## Works Well With



GAS FURNACES  
PERFORMANCE SERIES



PERFORMANCE™ FAN COIL  
FV4C



CÔR® WI-FI® THERMOSTAT  
TP-WEM01-A



CÔR® 7C WI-FI® THERMOSTAT  
TSTWRH01

